



# RFQ FORMS

## Hydraulic Passenger Elevator Package

**Company:** \_\_\_\_\_ **Job Name:** \_\_\_\_\_  
**Contact:** \_\_\_\_\_ **Job Location:** \_\_\_\_\_  
**Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_  
**Address :** \_\_\_\_\_ **E-Mail :** \_\_\_\_\_  
\_\_\_\_\_ **Today's Date:** \_\_\_\_\_  
**City/State/Zip :** \_\_\_\_\_ **Quote Due Date:** \_\_\_\_\_

- New Construction
- Existing

JACK TYPE		
<input type="checkbox"/> Borehole	<input type="checkbox"/> Cornerpost	<input type="checkbox"/> Cantilever
<input type="checkbox"/> Holeless	<input type="checkbox"/> Single Stage	<input type="checkbox"/> Twin Jack
<input type="checkbox"/> Roped Hydro	<input type="checkbox"/> Multi Stage	<input type="checkbox"/> Semi-holeless

Capacity: \_\_\_\_\_ Class: \_\_\_\_\_ Landings: \_\_\_\_\_ Hatch Width: \_\_\_\_\_ Voltage: \_\_\_\_\_  
Gross Weight: \_\_\_\_\_ Front Openings: \_\_\_\_\_ Hatch Depth: \_\_\_\_\_ Phase: \_\_\_\_\_  
Travel: \_\_\_\_\_ Rear Openings: \_\_\_\_\_ Overhead: \_\_\_\_\_  2000 Harmonized  
Speed: \_\_\_\_\_ Side Openings: \_\_\_\_\_ Pit Depth: \_\_\_\_\_ Code Required

Electrical Rating: Hoistway:  \* NEMA 1  Other: \_\_\_\_\_  
Machine Room:  \* NEMA 1  Other: \_\_\_\_\_

\* Indicates standard materials

### HATCH MODULE

Include this section in quote  
 Platform: Width: \_\_\_\_\_ x Depth: \_\_\_\_\_ Subfloor Material:  \* 2 layers 15/32" plywood  
Finish Floor Thickness: \_\_\_\_\_  Other \_\_\_\_\_

<input type="checkbox"/> Sling, Brace Rods, Fastener Package <input type="checkbox"/> Pit Assembly / Spring Buffers <input type="checkbox"/> Rail Guides: <input type="checkbox"/> * Slide <input type="checkbox"/> Roller <input type="checkbox"/> Swivel <input type="checkbox"/> Rail Brackets: <input type="checkbox"/> Limit Switch Package <input type="checkbox"/> Car Top Station <input type="checkbox"/> * Nylube <input type="checkbox"/> 3 Maintenance Manuals / Engineering / Layout Drawings <input type="checkbox"/> Other _____	<b>Additional Features</b> <input type="checkbox"/> Seismic Application <input type="checkbox"/> Government Submittal Package <input type="checkbox"/> Special Paint _____ <input type="checkbox"/> Certified Engineer Drawings <input type="checkbox"/> Rail Lubricators
--	--

### CAB MODULE

Include this section in quote

Shell: <input type="checkbox"/> * Wood Core <input type="checkbox"/> Steel <input type="checkbox"/> Custom _____ Walls: <input type="checkbox"/> * Plastic Laminate <input type="checkbox"/> Removable Panels <input type="checkbox"/> Stainless Steel (SS) <input type="checkbox"/> Bronze <input type="checkbox"/> #4 Reveals: <input type="checkbox"/> Enamel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> #8 <input type="checkbox"/> 5SM Rigidized <input type="checkbox"/> Other _____ Front Return: <input type="checkbox"/> * MEI Swing Panel <input type="checkbox"/> Stationary <input type="checkbox"/> Full Swing <input type="checkbox"/> #4 <input type="checkbox"/> #8 <input type="checkbox"/> * Stainless <input type="checkbox"/> Bronze <input type="checkbox"/> * #4 Cab Door: Width: _____ <input type="checkbox"/> Single Slide <input type="checkbox"/> Enamel <input type="checkbox"/> #8 Height: _____ <input type="checkbox"/> 2 Speed <input type="checkbox"/> Primed <input type="checkbox"/> * Stainless Steel <input type="checkbox"/> Center Opening <input type="checkbox"/> Laminate <input type="checkbox"/> 5WL Rigidized <input type="checkbox"/> Bronze <input type="checkbox"/> * #4 Sill: <input type="checkbox"/> * Aluminum <input type="checkbox"/> Nickel Silver <input type="checkbox"/> Bronze <input type="checkbox"/> Other _____
--

JOB NAME: \_\_\_\_\_

Handrail:  \* 1/2" x 1 1/2" Stainless Steel Tube  \* Back Wall  Side Walls  
 Other  \* Stainless Steel  Bronze  \* #4  #8

Ceiling:  \* Aluminum Frame w/Eggcrate Diffuser & Fluorescent Lights  
 \* Aluminum Frame w/Lexan Diffuser & Fluorescent Lights  Dropped Island  
 Stainless Steel  Bronze  #4  #8  Enamel  Laminate  
 Downlights Qty: \_\_\_\_\_  High Voltage  Low Voltage

Cab Height:  \* 8 feet  Other \_\_\_\_\_

Emerg Light:  \* In Car Operating Panel  In Cab Ceiling  Incorporated into regular cab lighting

Fan:  \* 1 Speed  2 Speed  Morrison Blower  Other \_\_\_\_\_

Finish Floor:  \* By Others Material: \_\_\_\_\_ Weight: \_\_\_\_\_

Options:  Pads  Stainless Steel Door Kickplate  
 Hooks  Stainless Steel Wall Base  Other \_\_\_\_\_

**JACK MODULE**

Include this section in quote

Maximum Jack length \_\_\_\_\_  Seamless Piston  
 Maximum Jack section length \_\_\_\_\_  Seamless Cylinder  
 Maximum Pressure Allowed \_\_\_\_\_  \* Factory Tape Wrap  
 PVC Casing Sch 40 \_\_\_\_\_ Sch 80 \_\_\_\_\_  Other: \_\_\_\_\_

**POWER UNIT MODULE**

Include this section in quote

\* Submersible  \* 80 Starts /hr  Pre-mount Controller  Oil Level Sensor  
 Dry  120 Starts /hr  Oil Viscosity Switch  Low Pressure Switch

Machine Room:  Oil Level Sight Gauge  Load Weighing Switch  
 \* Adjacent @ Lowest Level  Tank Heater  Oil Cooler - MEI  
 Adjacent \_\_\_\_\_ feet above lowest level  Wagner Return Pump  
 Remote \_\_\_\_\_ feet from hoistway  Other \_\_\_\_\_

**PIPING MODULE**

Include this section in quote

\* Standard Package  \_\_\_\_\_ Isolation Couplings  Mainline Strainer  Other \_\_\_\_\_  
 Overspeed Valve  Seamless Pipe  Sch 80 Pipe

**ENTRANCE MODULE**

Include this section in quote

Number of Doors/Frames Required: \_\_\_\_\_ Hoistway Wall: \_\_\_\_\_ "  Block  Drywall

Jamb Construction:  \* Bolted  Welded  Special \_\_\_\_\_  
Jamb Finish:  Enamel  Primed  Stainless Steel  Bronze  #4  #8  
Door Finish:  Enamel  Primed  Stainless Steel  Bronze  #4  #8  
Transom:  Standard  Flush  Off-Set \_\_\_\_\_ " Height of Transom  
Sills:  \* Aluminum  Nickel Silver  Bronze  Other \_\_\_\_\_  
Other:

**DOOR EQUIPMENT MODULE**

Include this section in quote

\* GAL  \* Standard Duty  Medium Duty  Heavy Duty  Closed Loop  
 MAC  Other \_\_\_\_\_

**Transmit to Lift Solutions - When completed, click "Submit Form" at top of page 1. - 2 of 4**

You can also print this form, fill it out, and return by fax to (425) 671-0758

Lift Solutions Hydraulic Passenger Elevator Package RFQ Form rev 10-29-10 © 2010 Lift Solutions Inc

JOB NAME:

### DOOR PROTECTION MODULE

Include this section in quote

- \* Adams Gatekeeper     Janus Panaforty Plus     Photo Eyes     Other \_\_\_\_\_

### FIXTURE MODULE

Include this section in quote

- \* Standard Swing Panel     \*Square Buttons     Round Buttons     Vandal Resistant Buttons  
 Other: \_\_\_\_\_  
 \* Stainless Steel     Bronze     #4     #8     Other: \_\_\_\_\_  
 Auxiliary Car Operating Panel  
 \* Car Position Indicator     \* 2" Digital     Multi-light     Other: \_\_\_\_\_  
 Hall Position Indicator: \_\_\_\_\_  \* 2" Digital     Multi-light     Other: \_\_\_\_\_  
 \* Car Lantern: \_\_\_\_\_  Hall Lantern: \_\_\_\_\_  
 \_\_\_\_\_ Hall Stations  
 \* Top Access Key     \*ADA Handsfree Phone     Photo Eye Keyswitch  
 \* Bottom Access Key     Phone Cabinet     Emergency Light Test Button  
 \* Inspection Keyswitch     Service Cabinet     Fireman's Phone Jack  
 \* Fan Keyswitch     120 VAC Outlet     Card Reader Cut-out  
 \* Light Keyswitch     Certificate Frame     Other: \_\_\_\_\_  
 Engraving: \_\_\_\_\_

### CONTROLLER MODULE

Include this section in quote

- Manufacturer:  \* Vertitron Midwest, Inc     Elevator Controls Corporation     Other: \_\_\_\_\_  
Logic Type:  \* Microprocessor     Relay Logic  
Operation:  \* Single Automatic Pushbutton     Selective Collective     Call-Send  
 \* Simplex     Duplex     Group  
Starter:  \* Wye Delta     X-Line     Electronic Soft Start  
Features:  \* Phase I & II Fire Service     Oil Viscosity     Hospital Service  
 \* Independent Service     Hall Lanterns     EMT-Code Blue  
 \* Low Oil Circuitry     PET - Hand Held Diagnostic     Homing  
 \* Reverse Phase Detector     On-Board Diagnostics     Attendant Operation  
 Nudging     Keyed Security     Car     Hall     Inconspicuous Riser  
 \* Tape Selector     Vane Selector     Lobby Panel Interface  
 Battery Lowering     Emer. Generator Interface     Main-line Potential Switch  
 Load Weighing     CRT-Computer Monitor System     Other: \_\_\_\_\_

### WIRING MODULE

Include this section in quote

- \*Standard Package w/3 pair shielded cable  
 Additional \_\_\_\_\_ pair shielded cable  
 Coaxial Cable - RG59U

**Transmit to Lift Solutions** - When completed, click "Submit Form" at top of page 1. - **3 of 4**

You can also print this form, fill it out, and return by fax to (425) 671-0758

Lift Solutions Hydraulic Passenger Elevator Package RFQ Form rev 10-29-10 © 2010 Lift Solutions Inc

JOB NAME:

**RAIL MODULE**



Include this section in quote

**T-Shaped Rails are Provided**

**ELEVATOR DATA**

Include this section in quote

Enter floor markings & travel for each floor served



**Standard Exceptions**

No Sill Supports  
No Oil  
No Inserts  
No Fire Signs

No Jack Casing  
No Power Disconnects  
No Intercom System

No Freight Door Frames  
No Finish Floor Covering  
No Pit Ladder

No Smoke Detection  
No Rail Backing  
No Cathodic Protection

**Transmit to Lift Solutions** - When completed, click "Submit Form" at top of page 1. - 4 of 4

You can also print this form, fill it out, and return by fax to (425) 671-0758

Lift Solutions Hydraulic Passenger Elevator Package RFQ Form rev 10-29-10 © 2010 Lift Solutions Inc