



RFQ FORMS

Hydraulic Passenger Elevator Package

Company: _____ **Job Name:** _____
Contact: _____ **Job Location:** _____
Phone: _____ **Fax:** _____
Address : _____ **E-Mail :** _____
 _____ **Today's Date:** _____
City/State/Zip : _____ **Quote Due Date:** _____

JACK TYPE		
<input type="checkbox"/> Borehole	<input type="checkbox"/> Cornerpost	<input type="checkbox"/> Cantilever
<input type="checkbox"/> Holeless	<input type="checkbox"/> Single Stage	<input type="checkbox"/> Twin Jack
<input type="checkbox"/> Roped Hydro	<input type="checkbox"/> Multi Stage	<input type="checkbox"/> Semi-holeless

- New Construction
- Existing

Capacity: _____ Class: _____ Landings: _____ Hatch Width: _____ Voltage: _____
 Gross Weight: _____ Front Openings: _____ Hatch Depth: _____ Phase: _____
 Travel: _____ Rear Openings: _____ Overhead: _____ 2000 Harmonized Code Required
 Speed: _____ Side Openings: _____ Pit Depth: _____

Electrical Rating: Hoistway: * NEMA 1 Other: _____
 Machine Room: * NEMA 1 Other: _____

* Indicates standard materials

HATCH MODULE

Include this section in quote
 Platform: Width: _____ x Depth: _____ Subfloor Material: * 2 layers 15/32" plywood
 Finish Floor Thickness: _____ Other _____

<input type="checkbox"/> Sling, Brace Rods, Fastener Package <input type="checkbox"/> Pit Assembly / Spring Buffers <input type="checkbox"/> Rail Guides: <input type="checkbox"/> * Slide <input type="checkbox"/> Roller <input type="checkbox"/> Swivel <input type="checkbox"/> Rail Brackets: <input type="checkbox"/> Limit Switch Package <input type="checkbox"/> Car Top Station <input type="checkbox"/> * Nylube <input type="checkbox"/> 3 Maintenance Manuals / Engineering / Layout Drawings <input type="checkbox"/> Other _____	Additional Features <input type="checkbox"/> Seismic Application <input type="checkbox"/> Government Submittal Package <input type="checkbox"/> Special Paint _____ <input type="checkbox"/> Certified Engineer Drawings <input type="checkbox"/> Rail Lubricators
--	--

CAB MODULE

Include this section in quote

Shell: <input type="checkbox"/> * Wood Core	<input type="checkbox"/> Steel	<input type="checkbox"/> Custom _____
Walls: <input type="checkbox"/> * Plastic Laminate	<input type="checkbox"/> Removable Panels	
<input type="checkbox"/> Stainless Steel (SS)	<input type="checkbox"/> Bronze <input type="checkbox"/> #4	<input type="checkbox"/> #8 <input type="checkbox"/> 5SM Rigidized <input type="checkbox"/> Other _____
Reveals: <input type="checkbox"/> Enamel	<input type="checkbox"/> Stainless Steel	<input type="checkbox"/> Bronze <input type="checkbox"/> #4 <input type="checkbox"/> #8
Front Return: <input type="checkbox"/> * MEI Swing Panel	<input type="checkbox"/> Stationary	<input type="checkbox"/> Full Swing
<input type="checkbox"/> * Stainless	<input type="checkbox"/> Bronze	<input type="checkbox"/> * #4
Cab Door: Width: _____	<input type="checkbox"/> Single Slide	<input type="checkbox"/> Enamel
Height: _____	<input type="checkbox"/> 2 Speed	<input type="checkbox"/> Primed
<input type="checkbox"/> Center Opening	<input type="checkbox"/> Laminate	<input type="checkbox"/> 5WL Rigidized
Sill: <input type="checkbox"/> * Aluminum	<input type="checkbox"/> Nickel Silver	<input type="checkbox"/> Bronze <input type="checkbox"/> #8 <input type="checkbox"/> Other _____

JOB NAME: _____

Handrail: * 1/2" x 1 1/2" Stainless Steel Tube * Back Wall Side Walls
 Other * Stainless Steel Bronze * #4 #8

Ceiling: * Aluminum Frame w/Eggcrate Diffuser & Fluorescent Lights
 * Aluminum Frame w/Lexan Diffuser & Fluorescent Lights Dropped Island
 Stainless Steel Bronze #4 #8 Enamel Laminate
 Downlights Qty: _____ High Voltage Low Voltage

Cab Height: * 8 feet Other _____

Emerg Light: * In Car Operating Panel In Cab Ceiling Incorporated into regular cab lighting

Fan: * 1 Speed 2 Speed Morrison Blower Other _____

Finish Floor: * By Others Material: _____ Weight: _____

Options: Pads Stainless Steel Door Kickplate
 Hooks Stainless Steel Wall Base Other _____

JACK MODULE

Include this section in quote

Maximum Jack length _____ Seamless Piston
 Maximum Jack section length _____ Seamless Cylinder
 Maximum Pressure Allowed _____ * Factory Tape Wrap
 PVC Casing Sch 40 _____ Sch 80 _____ Other: _____

POWER UNIT MODULE

Include this section in quote

* Submersible * 80 Starts /hr Pre-mount Controller Oil Level Sensor
 Dry 120 Starts /hr Oil Viscosity Switch Low Pressure Switch

Machine Room: Oil Level Sight Gauge Load Weighing Switch
 * Adjacent @ Lowest Level Tank Heater Oil Cooler - MEI
 Adjacent _____ feet above lowest level Wagner Return Pump
 Remote _____ feet from hoistway Other _____

PIPING MODULE

Include this section in quote

* Standard Package _____ Isolation Couplings Mainline Strainer Other _____
 Overspeed Valve Seamless Pipe Sch 80 Pipe

ENTRANCE MODULE

Include this section in quote

Number of Doors/Frames Required: _____ Hoistway Wall: _____ " Block Drywall

Jamb Construction: * Bolted Welded Special _____
Jamb Finish: Enamel Primed Stainless Steel Bronze #4 #8
Door Finish: Enamel Primed Stainless Steel Bronze #4 #8
Transom: Standard Flush Off-Set _____ " Height of Transom
Sills: * Aluminum Nickel Silver Bronze Other _____
Other:

DOOR EQUIPMENT MODULE

Include this section in quote

* GAL * Standard Duty Medium Duty Heavy Duty Closed Loop
 MAC Other _____

Transmit to Lift Solutions - When completed, click "Submit Form" at top of page 1. - 2 of 4

You can also print this form, fill it out, and return by fax to (425) 671-0758

Lift Solutions Hydraulic Passenger Elevator Package RFQ Form rev 2-11-10 © 2010 Lift Solutions Inc

JOB NAME:

DOOR PROTECTION MODULE

Include this section in quote

- * Adams Gatekeeper Janus Panaforty Plus Photo Eyes Other _____

FIXTURE MODULE

Include this section in quote

- * Standard Swing Panel *Square Buttons Round Buttons Vandal Resistant Buttons
 Other: _____
 * Stainless Steel Bronze #4 #8 Other: _____
 Auxiliary Car Operating Panel
 * Car Position Indicator * 2" Digital Multi-light Other: _____
 Hall Position Indicator: _____ * 2" Digital Multi-light Other: _____
 * Car Lantern: _____ Hall Lantern: _____
 _____ Hall Stations
 * Top Access Key *ADA Handsfree Phone Photo Eye Keyswitch
 * Bottom Access Key Phone Cabinet Emergency Light Test Button
 * Inspection Keyswitch Service Cabinet Fireman's Phone Jack
 * Fan Keyswitch 120 VAC Outlet Card Reader Cut-out
 * Light Keyswitch Certificate Frame Other: _____
 Engraving: _____

CONTROLLER MODULE

Include this section in quote

- Manufacturer: * Vertitron Midwest, Inc Motion Control Engineering Other: _____
Logic Type: * Microprocessor Relay Logic
Operation: * Single Automatic Pushbutton Selective Collective Call-Send
 * Simplex Duplex Group
Starter: * Wye Delta X-Line Electronic Soft Start
Features: * Phase I & II Fire Service Oil Viscosity Hospital Service
 * Independent Service Hall Lanterns EMT-Code Blue
 * Low Oil Circuitry PET - Hand Held Diagnostic Homing
 * Reverse Phase Detector On-Board Diagnostics Attendant Operation
 Nudging Keyed Security Car Hall Inconspicuous Riser
 * Tape Selector Vane Selector Lobby Panel Interface
 Battery Lowering Emer. Generator Interface Main-line Potential Switch
 Load Weighing CRT-Computer Monitor System Other: _____

WIRING MODULE

Include this section in quote

- *Standard Package w/3 pair shielded cable
 Additional _____ pair shielded cable
 Coaxial Cable - RG59U

Transmit to Lift Solutions - When completed, click "Submit Form" at top of page 1. - **3 of 4**

You can also print this form, fill it out, and return by fax to (425) 671-0758

Lift Solutions Hydraulic Passenger Elevator Package RFQ Form rev 2-11-10 © 2010 Lift Solutions Inc

JOB NAME:

RAIL MODULE



Include this section in quote

T-Shaped Rails are Provided

ELEVATOR DATA

Include this section in quote

Enter floor markings & travel for each floor served



Standard Exceptions

No Sill Supports
No Oil
No Inserts
No Fire Signs

No Jack Casing
No Power Disconnects
No Intercom System

No Freight Door Frames
No Finish Floor Covering
No Pit Ladder

No Smoke Detection
No Rail Backing
No Cathodic Protection

Transmit to Lift Solutions - When completed, click "Submit Form" at top of page 1. - 4 of 4

You can also print this form, fill it out, and return by fax to (425) 671-0758

Lift Solutions Hydraulic Passenger Elevator Package RFQ Form rev 2-11-10 © 2010 Lift Solutions Inc