

ELEVATOR TYPE Traction

BUILDING TYPE Low Rise
Mid Rise
High Rise

SPEED 2000 fpm (10 mps)

LANDINGS 64

DISPATCHING Simplex
Duplex
Group 16 Cars*
*with G900 group option

DRIVE TECHNOLOGY OPTIONS Closed Loop DC-SCR
PVF Position Velocity Feedback

Universal
Simple
Interoperable
Supportable
Economical

V900 DC

Controls for DC Traction Elevators

The 900 Series is our next generation, standardized non-proprietary control platform for Hydraulic, AC and DC Traction, and MRL elevators.

Advanced microprocessor technology has consolidated PC boards and eliminated many component parts. This is our most reliable and simplified control system yet.

Modular design is retained to ensure essential maintainability. CSA and TSSA certifications confirm safety code compliance.

EC's traditional "learn one, know all" equipment design speeds transition to our newest technology. Trademark PC board interchangeability and backward compatibility reduce spares burden while extending service life.

When the power of technology is used to simplify essential tasks – including installation, adjustment, maintenance and troubleshooting – everybody wins.



About Elevator Controls

Elevator Controls Corporation, established in 1986, is a widely recognized manufacturer of Non-proprietary microprocessor based elevator controllers.

Standardization across all products allows EC to offer true backward compatibility, enhancing maintainability, reducing spares burden, and extending service life.

Our mission is to develop equipment that is simple for customers to install, adjust and maintain.

*Learn more at:
www.elevatorcontrols.com*

08/08 5M

V900 DC


Controls for DC Traction Elevators

Model V900 DC Type SCR

The **V900 SCR** provides solid state power control in a closed-loop system for most geared and gearless elevators with DC motors. Precise speed regulation **better than +/- 1%** is provided using quadrature encoder feedback and a closed loop drive design.


The V900 DC system is equipped with line regenerative, full-wave, four-quadrant digital drive technology. This provides significant power savings vs conventional VVDC technology, as well as improved performance, reliability and extended service life. V900 DC technology is ideal when a DC motor is retained during modernization.

*See Specifications for
Microprocessor Elevator
Controls for complete details.*




Simplified Design Delivers Reliable Code Compliance

A dramatic reduction in the number of relays, discrete parts and consolidation of three PC boards into one makes the V900 system reliable and serviceable. EN 60947-5-1 force guided relays are incorporated to ensure code compliance.



Microprocessor Board

EC's forward looking system architecture provides universal backward compatibility. Proven components and technology are always used to ensure years of field reliability.



PVF Position Velocity Feedback Option

To satisfy the most demanding ride quality requirements a digital dual-feedback Position Velocity Feedback option is available. PVF provides microcomputer based position and velocity feedback for higher speed geared and gearless elevators in closed loop applications.

Powerful Control Technology that's Easy to Use

- Non-Proprietary
- A17.1-2005/ B44-05 Safety Code Compliant
- Standardization
- Backward Compatibility
- Onboard Diagnostics
- Field Reprogrammable "personality parameters"
- Choose Discrete or Ez-LINK™ serial communication wiring options
- Works with Interact™ elevator management, analysis and reporting tools
- Unrestricted Telephone Technical Support for customers
- Configure any car to function as a simplex, duplex or group



ELEVATOR  **CONTROLS**
SIMPLE. SOLID. SUPPORTABLE.

Toll-Free: 800/829-8106
Tel: 916/428-1708
Fax: 916/428-1728

e-mail: info@elevatorcontrols.com
www.elevatorcontrols.com